

SP 3000 Series Stock Pickers TEST

Name: _____ **Date:** _____ **Correct:** ____ / 15

- 1- Even if the truck is still operating, the wrench light means that something is wrong with the truck.**
 - a. True
 - b. False
- 2- The maximum capacity rating of your Crown Stock Picker can be found on the...**
 - a. Safety shield
 - b. Data plate
 - c. Company bulletin board
 - d. Forks
- 3- Braking on your Stock Picker is done by...**
 - a. Depressing the brake pedal
 - b. Releasing the brake pedal
 - c. Pulling the hand brake
 - d. Turning the steering wheel
- 4- Since a pallet is made of wood and cannot be secured to the truck, you should use extra care.**
 - a. True
 - b. False
- 5- The operator tether, and harness or belt only must have to be used over two feet of lift.**
 - a. True
 - b. False
- 6- Pushing the power disconnect button...**
 - a. Is used to brake the truck
 - b. Cuts all power to the truck
 - c. Separates the battery connector
 - d. Both B & C
- 7- Side gates have to be in the down position before operating your Stock Picker.**
 - a. True
 - b. False
- 8- If the platform will not lift...**
 - a. Check for a "wrench" light on the display
 - b. Make sure the side gates are down
 - c. Check to see if the batter discharge indicator is flashing

- d. All the above
- 9- Reversing the direction of travel without applying the brake, (plugging) may be used to stop the truck.**
 - a. True
 - b. False
- 10- To help determine which way the drive/steer tire turned, your truck is equipped with...**
 - a. Flashing lights
 - b. Electronic steering display
 - c. Satellite tracking
 - d. Mirrors
- 11- The travel direction and speed control returns to neutral when released.**
 - a. True
 - b. False
- 12- On many Stock Pickers, travel speed may be cut out or reduced at higher lift heights.**
 - a. True
 - b. False
- 13- Whenever you are not using your truck...**
 - a. Park in and out-of-the-way spot
 - b. Lower the forks to the ground
 - c. Turn the truck off
 - d. All the above
- 14- On units equipped with two-speed raise, you must push the lift button to a second position to activate the second speed.**
 - a. True
 - b. False
- 15- Stepping on the floor pedal releases the brake.**
 - a. True
 - b. False