

according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

## 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Commercial Product Name : Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Hydraulic fluid

1.3 Details of the supplier of the safety data sheet

Company **Continental Aftermarket GmbH** 

> **Guerickestrasse 7** 60488 Frankfurt Germany +49-69-7603-1 +49-69-76 10 61

Contact person Corporate Hazardous Substances Management, Central Material

Laboratory

E-mail address ate.sicherheit@contiautomotive.com

1.4 Emergency telephone number

+ 49 61 32 84 46 3

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

2.2 Label elements

Special labelling of certain mix- : Safety data sheet available on request for professional users.

2.3 Other hazards

tures

no data available

## 3. Composition/information on ingredients

3.2 Mixtures

Chemical nature Formulated product

Additives



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

Revision Date : Version : 4.3 23.07.2013

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Solvent mixture

#### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (1272/2008/EC)	Concentration [%]
2-[2-(2- butoxyethoxy)ethoxy]etha nol	143-22-6 205-592-6 01- 2119531322-53	Xi; R41	Eye Dam. 1; H318	>= 7 - < 10
2,2'-oxybisethanol	111-46-6 203-872-2 01- 2119457857-21	Xn; R22	Acute Tox. 4; H302	>= 7 - < 10
di-isopropanolamine	110-97-4 203-820-9 01- 2119475444-34	Xi; R36	Eye Irrit. 2; H319	>= 1 - < 1,5

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. First aid measures

#### 4.1 Description of first aid measures

General advice : Never give anything by mouth to an unconscious person. In the case

of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Remove from exposure, lie down.

If inhaled : Move to fresh air in case of accidental inhalation of vapours or de-

composition products. Keep patient warm and at rest. If symptoms

persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

If swallowed : If swallowed, seek medical advice immediately and show this con-

tainer or label. If a person vomits when lying on his back, place him

in the recovery position.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

no data available

## 5. Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing media

: Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable extinguishing media

: High volume water jet

## 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for firefighters

Special protective equipment for

firefighters

: Use personal protective equipment. Wear self-contained breathing apparatus and protective suit. Complete suit protecting against

chemicals

Further information

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Standard procedure for chemical fires.

#### 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8. Ventilate the area. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapour or mist.

## 6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

#### 6.4 Reference to other sections

see chapter: 7, 8, 11, 12 and 13

## 7. Handling and storage

#### 7.1 Precautions for safe handling



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Advice on safe handling

: For personal protection see section 8.

Advice on protection against fire

and explosion

: Normal measures for preventive fire protection.

Dust explosion class

: not applicable

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas

and containers

Store in original container. Keep containers tightly closed in a dry,

cool and well-ventilated place.

Advice on common storage

: Never allow product to get in contact with water during storage. Keep away from food, drink and animal feedingstuffs. Keep away from oxidising agents, strongly acid or alkaline materials and amines.

Other data

: No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

no data available

## 8. Exposure controls/personal protection

## 8.1 Control parameters

Components	CAS-No.	Control parameters	Basis	Update
2,2'-oxybisethanol	111-46-6	TWA: 101 mg/m3, 23 ppm 2,	GB EH40	2005-04-06

Other information on limit values: see chapter 16

#### 8.2 Exposure controls

#### **Engineering measures**

Provide adequate ventilation.

## Personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equip-

ment.

Respirator with filter type A

Respirator with a vapour filter (EN 141)

Hand protection



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Material : butyl-rubber
Glove thickness : 0,7 mm
Breakthrough time: : 480 min
Directive : DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending on the

concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves

with the glove manufacturer.

<u>Eye protection</u>: In case of splash hazard, please wear protective goggles.

<u>Hygiene measures</u> : Handle in accordance with good industrial hygiene and safety prac-

tice.

Please thoroughly clean and care for the skin after finishing work.

Wash contaminated clothing before re-use. When using do not eat, drink or smoke.

**Environmental exposure controls** 

General advice : Do not flush into surface water or sanitary sewer system.

## 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : yellow
Odour : characteristic
Odour Threshold : no data available
Flash point : > 125 °C

Method: ISO 2719

Ignition temperature :  $> 200 \, ^{\circ}\text{C}$ 

Method: DIN 51794

Thermal decomposition : ca. 360 °C

Lower explosion limit : 1,5 %(V)

Upper explosion limit : not determined Explosive properties : no data available

Flammability : liquid: not auto-flammable



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Oxidizing properties : The product has been shown not to be oxidising in a test fol-

lowing Directive 67/548/EEC (Method A17, oxidising proper-

ties).

Auto-ignition temperature

Burning number Molecular Weight pH

no data availableno data available7,5 - 9 at 20 °C

no data available

Pour point : < -70 °C

Method: DIN 51583

Boiling point/boiling range : > 260 °C at 1.013 hPa

Vapour pressure : < 1 mbar at 20 °C

Density : 1,055 - 1,075 g/cm3 at 20 °C

Method: DIN 51757

Bulk density : not applicable

Water solubility : completely miscible

at 20 °C

Partition coefficient: n-

octanol/water Solubility in other solvents

Viscosity, dynamic

no data availableno data available

no data available

Viscosity, kinematic : 15 - 17 mm2/s at 20 °C

no data available Flow time Impact Sensitivity no data available Relative vapour density not determined Surface tension no data available Evaporation rate : no data available Minimum ignition energy no data available Acid number : no data available Refraction index : no data available Miscibility in water : no data available Solvent separation test : no data available

### 9.2 Other information

None known.

## 10. Stability and reactivity

#### 10.1 Reactivity



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date : 23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x /

7058xx

no data available

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Stability : No decomposition if used as directed., Product is hygroscopic.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition prod-

ucts

: Carbon dioxide (CO2), Carbon monoxide, nitrogen oxides (NOx)

## 11. Toxicological information

## 11.1 Information on toxicological effects

**Acute toxicity** 

Acute oral toxicity : no data available

Acute inhalation toxicity : no data available

Acute dermal toxicity : no data available

Acute toxicity (other routes of administration):

no data available

Skin corrosion/irritation

Skin irritation : no data available

Serious eye damage/eye irritation

Eye irritation : no data available

Respiratory or skin sensitisation

Sensitisation : no data available



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

#### Germ cell mutagenicity

Genotoxicity in vitro:

no data available

Genotoxicity in vivo:

no data available

## Carcinogenicity

no data available

## Reproductive toxicity

no data available

## **Teratogenicity**

no data available

## STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

## **Aspiration hazard**

Aspiration toxicity

no data available

## **Neurological effects**

no data available

#### **Toxicology Assessment**

Toxicology, Metabolism, Distribution

no data available

Acute effects

no data available

## 12. Ecological information

### 12.1 Toxicity



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 250 - 350 mg/l

Exposure time: 96 h Method: DIN 38412

Note: Information given is based on data on the components and the

ecotoxicology of similar products.

<u>Toxicity to bacteria</u> : EC50 (Bacteria): 6.250 mg/l

Note: Information given is based on data on the components and the

ecotoxicology of similar products.

12.2 Persistence and degradability

<u>Biodegradability</u> : Result: Biodegradable

Biodegradation: 90 % Exposure time: 15 d

Note: Information given is based on data on the components and the

ecotoxicology of similar products.

12.3 Bioaccumulative potential

<u>Bioaccumulation</u> : Remarks:

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Adsorbed organic bound halo-

: Remarks:

gens (AOX)

not included

Additional ecological information

Contains no substances known to be hazardous to the environment

or not degradable in waste water treatment plants.

## 13. Disposal considerations

#### 13.1 Waste treatment methods



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date: 23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x / 7058xx

Advice on disposal and packag-

ing

Disposal:

Where possible recycling is preferred to disposal or incineration. According to the European Waste Catalogue, Waste Codes are not

product specific, but application specific.

Waste codes should be assigned by the user based on the applica-

tion for which the product was used.

The following Waste Codes are only suggestions:

Waste Code (EWC) :

: Waste Key (unused product):

160113, brake fluids

Waste key (used product): 160113, brake fluids

Disposal of uncleaned packag-

ing

Waste key (uncleaned packaging):

150110, packaging containing residues of or contaminated by dan-

gerous substances

Note: Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

## 14. Transport information

#### **ADR**

Not dangerous goods

#### RID

Not dangerous goods

#### **IATA**

Not dangerous goods

#### **IMDG**

Not dangerous goods

#### Special precautions for user

see chapter: 6, 7 and 8

## 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



according to Regulation (EC) No. 1907/2006

Print Date: 23.07.2013 Revision Date:

23.07.2013

Version: 4.3

GB / EN

Commercial Product Name: Original ATE Brake Fluid SL (DOT4)- 03.9901-58xx.x /

7058xx

VOC : not applicable

Directive 96/82/EC : Update: 2003

Directive 96/82/EC does not apply

Further information : Reserved for industrial and professional use.

15.2 Chemical Safety Assessment

no data available

#### 16. Other information

## Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed. R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

#### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Other information

2 Where no specific short-term exposure limit is listed, a figure three times the long-term

exposure should be used

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by : SAP Business Compliance Services GmbH

Birlenbacher Str. 19 57078 Siegen Germany

Telephone: +49-(0)271-88072-0