

Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

# 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufactured By: Waterford Plant

260 Hudson River Rd Waterford NY 12188

**Revised:** 08/24/2009

Preparer: PRODUCT STEWARDSHIP COMPLIANCE AND STANDARDS

**CHEMTREC** 1-800-424-9300

**Chemical Family/Use:** Sealant **Formula:** Mixture

**HMIS** 

Flammability: 1 Reactivity: 0 Health: 0

**NFPA** 

Flammability: 1 Reactivity: 0 Health: 1

# 2. HAZARDS IDENTIFICATION

## **EMERGENCY OVERVIEW**

WARNING! Irritating to eyes, respiratory system and skin. May be harmful if swallowed. Adverse liver and reproductive effects reported in animals.

Color: translucent Odor: Acetic acid.

## **POTENTIAL HEALTH EFFECTS**

## **INGESTION**

May be harmful if swallowed.

# SKIN

Uncured product contact will irritate lips, gums and tongue. Skin irritation is possible after contact with the uncured product.

## **INHALATION**

Inhalation of vapors may cause irritation of the respiratory tract. Applies in uncured state.

## **EYES**

Eye irritation is possible after contact with the uncured product.

## **MEDICAL CONDITIONS AGGRAVATED**

None known.

# SUBCHRONIC (TARGET ORGAN)

Liver; Reproductive hazard



Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

## **CHRONIC EFFECTS / CARCINOGENICITY**

This product or one of its ingredients present at 0.1% or more is NOT listed as a carcinogen or suspected carcinogen by NTP, IARC, or OSHA.

#### **ROUTES OF EXPOSURE**

Dermal

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION	CAS REG NO.	WGT. %			
A. HAZARDOUS					
METHYLTRIACETOXYSILANE	4253-34-3	1 - 5 %			
Octamethylcyclotetrasiloxane	556-67-2	1 - 5 %			
<b>B. NON-HAZARDOUS</b> Treated Filler 68611-44-9 10 - 30 %					
dimethylpolysiloxane	70131-67-8	60 - 100 %			
Siloxanes & Silicones, Dimethylpolymers w/Methylsilsesquioxanes	68554-67-6	5 - 10 %			
Dimethylpolysiloxane	70131-67-8	10 - 30 %			

# 4. FIRST AID MEASURES

#### **INGESTION**

Do not induce vomiting. If victim is conscious, give 1-3 glasses of water to drink. Never give anything by mouth to an unconscious person. Get medical attention if irritation persists.

## SKIN

To clean from skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. If skin irritation persists, call a physician.

# **INHALATION**

If inhaled, remove to fresh air. If not breathing give artificial respiration using a barrier device. If breathing is difficult give oxygen. Get medical attention.

## **EYES**

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get



Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

medical attention if irritation persists.

## **NOTE TO PHYSICIAN**

Treatment is symptomatic and supportive.

# 5. FIRE-FIGHTING MEASURES

FLASH POINT: > 93 °C; 199 °F METHOD: estimated FLAMMABLE LIMITS IN AIR - LOWER (%): not applicable FLAMMABLE LIMITS IN AIR - UPPER (%): not applicable

SENSITIVITY TO MECHANICAL IMPACT: No

#### SENSITIVITY TO STATIC DISCHARGE

Sensitivity to static discharge is not expected.

#### **EXTINGUISHING MEDIA**

All standard extinguishing agents are suitable.

## SPECIAL FIRE FIGHTING PROCEDURES

Firefighters must wear NIOSH/MSHA approved positive pressure self-contained breathing apparatus with full face mask and full protective clothing.

# 6. ACCIDENTAL RELEASE MEASURES

# **ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED**

Wipe, scrape or soak up in an inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

# 7. HANDLING AND STORAGE

#### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Product releases acetic acid during application and curing. Use only in well-ventilated areas. Avoid contact with skin and eyes. Remove contact lenses before using sealant. Do not handle lenses until all sealant has been cleaned from the fingertips, nails and cuticles. Residual sealant may remain on fingers for several days and transfer to lenses and cause severe eye irritation.

#### **STORAGE**

Store away from heat, sources of ignition, and incompatibles. Keep out of the reach of children. Keep container tightly closed.

# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **ENGINEERING CONTROLS**

Eyewash stations; Showers; Exhaust ventilation

## RESPIRATORY PROTECTION

If exposure limits are exceeded or respiratory irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Supplied air respirators may be required for non-routine or emergency situations. Respiratory protection must be provided in accordance with OSHA regulations (see 29CFR 1910.134).

## **PROTECTIVE GLOVES**

Impermeable or chemical resistant gloves.

#### **EYE AND FACE PROTECTION**

Safety glasses

## OTHER PROTECTIVE EQUIPMENT

Wear suitable protective clothing and eye/face protection.

## **Exposure Guidelines**

Component	CASRN	Source	Value	
COMBONEIL	CASINI	30uice	valu <del>e</del>	

Absence of values indicates none found

PEL - OSHA Permissible Exposure Limit; TLV - ACGIH Threshold Limit Value; TWA - Time Weighted Average; INTL REL - Internal Recommended Exposure Limit

OSHA revoked the Final Rule Limits of January 19, 1989 in response to the 11th Circuit Court of Appeals decision (AFL-CIO v. OSHA) effective June 30, 1993. See 29 CFR 1910.1000 (58 FR 35338).

# 9. PHYSICAL AND CHEMICAL PROPERTIES

ODOR: Acetic acid.
COLOR: translucent
SOLUBILITY IN WATER (20 C): insoluble

SOLUBILITY IN ORGANIC SOLVENT (STATE Soluble in toluene

SOLVENT):

VOLATILE ORGANIC CONTENT:1.5 %(m)VOC EXCL. H2O & EXEMPTS (G/L):20 g/l



Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

# 10. STABILITY AND REACTIVITY

#### **STABILITY**

Stable

#### HAZARDOUS POLYMERIZATION

Will not occur.

## HAZARDOUS THERMAL DECOMPOSITION / COMBUSTION PRODUCTS

Carbon dioxide (CO2); Carbon monoxide; Acetic acid.; Silicon dioxide.; formaldehyde; This product contains methylpolysiloxanes which can generate formaldehyde at approximately 300 degrees Fahrenheit (150'C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. A MSDS for formaldehyde is available from Momentive.

## **CONDITIONS TO AVOID**

None known.

# 11. TOXICOLOGICAL INFORMATION

#### **ACUTE ORAL**

Remarks: Unknown

## **ACUTE DERMAL**

Remarks: Unknown

## **ACUTE INHALATION**

Remarks: None known.

## **OTHER**

Octamethylcyclotetrasiloxane Ingestion: Rodents given large doses via oral gavage of octamethylcyclotetrasiloxane (1600 mg/kg day, 14 days) developed increased liver weights relative to unexposed control animals due to hepatocellular hyperplasia (increased number of liver cells which appear normal) as well as hypertrophy (increased cell size). Inhalation: In inhalation studies, laboratory rodents exposed to octamethylcyclotetrasiloxane (300 ppm five days week, 90 days)developed increased liver weights in female animals relative to unexposed control animals. When the exposure was stopped, liverweights returned to normal. Microscopic examination of the liver cells did not show any evidence of pathology. Inhalationstudies utililizing laboratory rabbits and quinea pigs showed no effects on liver weights. Inhalation exposures typical ofindustrial usage (5-10 ppm) showed no toxic effects in rodents. Range finding reproductive studies were conducted (whole body inhalation, 70 days prior to mating, through mating, gestationand lactation) with octamethylcyclotetrasiloxane (D4). Rats were exposed to 70 and 700 ppm. In the 700 ppm group, there was statistically significant reduction in mean litter size and in implantation sites. No D4 related clinical signs were observed in the pups and no exposure related pathological findings were found. Interim results from a two generation reproductive study in rats exposed to 500 and 700 ppm D4 (whole body inhalation, 70 daysprior to mating, through mating, gestation and lactation) resulted in a statistically significant decrease in live meanlitter size as well as extended periods of off-spring

# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

delivery (dystocia). These results were not observed at the 70 and 300ppm dosing levels. Preliminary results from an ongoing 24-month combined chronic/oncogenicity study in rats exposed to 10, 30, 150, or700 ppm D4 showed test-article related effects in the kidney (male and female) and uterus of rats exposed for 12 to 24 months. These effects include increased kidney weight and severity of chronic nephropathy, increased uterine weight,increased incidence of endometrial cell hyperplasia, and an increased incidence of endometrial adenomas. All of theseeffects are limited to the 700 ppm exposure group. These results have been shown to be rat-specific. Further studies are ongoing. In developmental toxicity studies, rats and rabbits were exposed to octamethylcyclotetrasiloxane at concentrations up to 700 ppmand 500 ppm respectively. No teratogenic effects (birth defects) were observed in either study.

## **SENSITIZATION**

no data available

#### SKIN IRRITATION

no data available

#### **EYE IRRITATION**

no data available

## **MUTAGENICITY**

Unknown

#### OTHER EFFECTS OF OVEREXPOSURE

Acetic acid released during curing.

# 12. ECOLOGICAL INFORMATION

#### **ECOTOXICITY**

no data available

## **DISTRIBUTION**

no data available

#### **CHEMICAL FATE**

no data available

# 13. DISPOSAL CONSIDERATIONS

# DISPOSAL METHOD

Disposal should be made in accordance with federal, state and local regulations.

# 14. TRANSPORT INFORMATION

# MOMENTIVE performance materials The science behind the solutions.

# Material Safety Data Sheet

Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

**Further Information:** This product is not regarded as dangerous goods according to the

national and international regulations on the transport of dangerous

goods.

# 15. REGULATORY INFORMATION

# **Inventories**

Canada DSL Inventory y (positive listing)
Japan Inventory of Existing & y (positive listing)

**New Chemical Substances** 

(ENCS)

Korea Existing Chemicals y (positive listing)

Inventory (KECI)

China Inventory of Existing y (positive listing)

Chemical Substances

Australia Inventory of Chemical y (positive listing)

Substances (AICS)

Philippines Inventory of y (positive listing)

Chemicals and Chemical Substances (PICCS)

EU list of existing chemical y (positive listing)

substances

Canada NDSL Inventory n (Negative listing)
TSCA list e (special case)

For inventories that are marked as quantity restricted or special cases, please contact Momentive.

# **US Regulatory Information**

# SARA (311,312) HAZARD CLASS

Acute Health Hazard; Chronic Health Hazard

## **SARA (313) CHEMICALS**

58-36-6, 10, 10'-oxybisphenoxarsine.

#### **CALIFORNIA PROPOSITION 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# **Canadian Regulatory Information**

# WHMIS HAZARD CLASS

D2A - Very Toxic Material Causing Other Toxic Effects

D2B - Toxic Material Causing Other Toxic Effects



Version: 1.6 08/24/2009

# SCS1701 12R-Crtrg (0.730 Lbs-0.331 Kg) ACETOXY SANITARY SEALANT

**Other** 

SCHDLE B/HTSUS: 3214.10.00.10 Mastic based on rubber

ECCN: EAR99

# **16. OTHER INFORMATION**

## **OTHER**

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate., C = ceiling limit NEGL = negligible EST = estimated NF = none found UNKN = unknown NE = none established REC = recommended ND = NA = not applicablenone determined V = recommended by vendor SKN = skin TS = trade secret R = recommended MST = mist NT = not tested STEL = short term exposure limit ppm = ppb = parts per billion By-product= reaction by-product, TSCA inventory status parts per million not required under 40 CFR part 720.30(h-2).